

**Appendix B**  
**Engineer Ammunition**

The following is a list of ammunition used by engineers that must be reported back to the USAES annually. This report shows an annual consumption that each unit uses to accomplish the EQT. Not all units get all of the ammunition listed below:

- A059 5.56, ball
- A062 5.56, ball (SAW)
- A063 5.56, tracer
- A064 5.56, ball with tracer (SAW)
- A075 5.56, blank, linked
- A080 5.56, blank, M16
- A111 7.62, blank, M60
- A131 7.62, tracer mix, M59
- A143 7.62, ball, M60
- A358 9 mm, tracer/AT4
- A363 9 mm, ball
- A557 .50 cal
- A598 .50 blank
- B472 40 mm, dummy cartridge
- B519 40 mm, target practice
- B546 40 mm, HE, dual purpose
- B584 40 mm, target practice/MK19
- G881 Hand grenade, fragmentation, M67
- G878 Hand grenade, practice fuse, M228
- G930 Grenade, smoke, hexachloroethane (HC)
- G940 Grenade, smoke, green
- G945 Grenade, smoke, yellow
- G950 Grenade, smoke, red
- G955 Grenade, smoke, violet
- G963 Grenade, CS

- J143 Rocket, motor 5 inches
- K042 M88, Volcano mine
- K092 Mine, AP, M16A1
- K143 Mine, claymore, M18
- K180 Mine, AT, M15
- K181 Mine, AT, M21
- K250 Mine, AT, M19
- K867 Smoke pot, with HC
- L305 Signal, illumination, green parachute
- L306 Signal, illumination, red parachute
- L307 Signal, illumination, white parachute
- L311 Signal, illumination, red star
- L312 Signal, illumination, white star
- L314 Signal, illumination, green star
- L367 Simulator, AT4 guided missile and rocket
- L495 Flare trip, yellow
- L594 Simulator, projectile, ground burst
- L595 Simulator, projectile, air burst, liquid
- L596 Simulator, artillery, flash
- L598 Simulator, explosive booby trap, flash
- L599 Simulator, explosive booby trap, illumination
- L600 Simulator, explosive booby trap, whistle
- L601 Simulator, explosive hand grenade
- M023 C4, 1.25 pounds
- M028 Bangalore torpedo
- M032 TNT, 1-pound block
- M039 40-pound crater charge
- M420 Shape charge, 15 pound
- M421 Shape charge, 40 pound
- M456 Detonating cord
- M914 MICLIC, practice
- MJ45 Holder, MDI, M9
- ML47 Nonelectric branch, M11
- MN02 Nonelectric cap, M12

- 
- MN03 Nonelectric cap, M13
  - MN06 Nonelectric fuse, M14, 5 minutes
  - MN08 Igniter, N81, MDI

In addition, units having CEVs are authorized the following ammunition:

- A111 7.62, blank
- A131 7.62, coax
- A140 7.62, sub cal
- A479 .45 cal
- A520 .50 cal
- A599 .50 cal, blank
- B592 40 mm, sub cal
- D570 165 mm, HE plastic
- D590 165 mm, target practice